# FLINN SCIENTIFIC, INC. Safety Data Sheet (SDS)

**SDS #:** 578.60

Revision Date: September 22, 2014

## SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

## 3-Pentanone

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

CHEMTREC Emergency Phone Number: (800) 424-9300

Signal Word

**DANGER** 

# Pictograms

## **SECTION 2 — HAZARDS IDENTIFICATION**

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).

Hazard class: Specific target organ toxicity, single exposure; respiratory tract irritation (Category 3). May cause respiratory irritation (H335). Avoid breathing mist, vapors or spray (P261).

Hazard class: Specific target organ toxicity, single exposure; Narcotic effects (Category 3). May cause drowsiness or dizziness (H336).



SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
3-Pentanone	96-22-0	CH <sub>3</sub> CH <sub>2</sub> COCH <sub>2</sub> CH <sub>3</sub>	86.132	
Synonyms: Diethyl ketone; DEK; Dimethylacetone, Ethyl ketone, Metacetone, Propione				

## **SECTION 4 — FIRST AID MEASURES**

Call a POISON CENTER or physician if you feel unwell (P312).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing.

If on skin (or hair): Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353).

If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell.

## **SECTION 5 — FIRE FIGHTING MEASURES**

Class IB flammable liquid.	NFPA CODE
Flash point: 13 °C Flammable limits: Upper 7.7% Lower: 1.6% Autoignition Temperature: 450 °C	H-1
When heated to decomposition, may emit toxic fumes.	F-3
In case of fire: Use tri-class dry chemical fire extinguisher (P370+P378).	R-0

#### **SECTION 6 — ACCIDENTAL RELEASE MEASURES**

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

Safety Data Sheet 3-Pentanone

**SDS #:** 578.60

**Revision Date:** September 22, 2014

#### **SECTION 7 — HANDLING AND STORAGE**

Flinn Suggested Chemical Storage Pattern: Organic #4. Store with ethers, ketones, and halogenated hydrocarbons. Store in a cool, dry place. Keep container tightly closed (P233). Keep cool (P235). Ground or bond container and receiving equipment (P240). Use explosion-proof electrical and ventilating equipment (P241). Use only non-sparking tools (P242). Take precautionary measures against static discharge (P243). Use only in a hood or in a well-ventilated area (P271).

#### SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash thoroughly after handling. Use only in a hood or in a well-ventilated area (P271).

Exposure guidelines: TLV 200 ppm STEL 300 ppm (ACGIH)

## **SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES**

Clear, colorless liquid. Acetone-like odor.

Slightly soluble in cold water. Miscible with alcohol and ether.

Boiling point: 102 °C

Melting point: -40 °C

Specific gravity: 0.81 Vapor density: 3

## **SECTION 10 — STABILITY AND REACTIVITY**

Avoid heat, sunlight, and ignition sources. Reacts with hydrogen peroxide and strong acids, as well as nitric acid, oxidizing agents, strong bases, and reducing agents.

Shelf life: Fair, store in a cool, dry place.

#### **SECTION 11 — TOXICOLOGICAL INFORMATION**

Acute effects: Eye, skin, mucous membrane, & respiratory tract irritant. May cause narcotic effects. Readily absorbed through skin. Chronic effects: Asthma-like symptoms, dermatitis, CNS depression. ORL-RAT LD $_{50}$ : 2140 mg/kg IHL-RAT LCL $_{0}$ : 8000 ppm/4H SKN-RBT LD $_{50}$ : 20 mL/kg

Target organs: CNS, skin, respiratory system.

N.A. = Not available, not all health aspects of this substance have been fully investigated.

# **SECTION 12 — ECOLOGICAL INFORMATION**

LC<sub>50</sub> fathead minnow: 1470-1600 mg/L/96H

#### **SECTION 13 — DISPOSAL CONSIDERATIONS**

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #18b is one option.

### **SECTION 14 — TRANSPORT INFORMATION**

Shipping name: Diethyl ketone. Hazard class: 3. UN number: UN1156.

N/A = Not applicable

#### **SECTION 15 — REGULATORY INFORMATION**

TSCA listed.

#### **SECTION 16 — OTHER INFORMATION**

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: September 22, 2014